L Number	Hits	Search Text	DB	Time stamp
1	2704	709/223.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/04/15 14:05
2	111	709/223.ccls. and (install\$4 near server)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/15 14:05
_	2	("6067582").PN.	IBM_TDB USPAT; US-PGPUB;	2004/04/14 15:31
-	1704	709/203.ccls. and @ad<=19991116	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/19 16:49
-	1145	(709/203.ccls. and @ad<=19991116) and (update install\$6)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/19 10:52
-	162	(709/203.ccls. and @ad<=19991116) and (software near (updat\$3 install\$6))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/04/14 08:59
-	1094	713/200.ccls. and @ad<=19991116	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/19 16:51
-	96	(713/200.ccls. and @ad<=19991116) and (software near (updat\$3 install\$6))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/20 09:28
_	1797	709/220,225,229.ccls. and @ad<=19991116	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/19 17:53
-	o	(709/220,225,229.ccls. and @ad<=19991116) and (software near (updat\$3 install\$6))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/19 18:02
-	0	(717/176-178.ccls. and @ad<=19991116) and (software near (updat\$3 install\$6))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/19 18:02
-	173	717/176-178.ccls. and @ad<=19991116	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/19 18:02
-	920	(@ad<=19991116) and (server near (updat\$3 install\$6)) and monitor	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/08/20 09:29
-	8	(@ad<=19991116) and (server near (updat\$3 install\$6)) and (monitor near security)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/20 11:56

Search History 4/15/04 2:05:49 PM Page 1

1					
Configuration near file) and (billing EPO, JPO; Cost)	-	19	(709/203.ccls. and @ad<=19991116) and		
Cost Cade=19991116 and (download\$3 near (configuration near file) and (billing near information) Cost Co			(software near (updat\$3 install\$6)) and		17:24
18					
Second Configuration Con			COSCI		
near information	_	8	(@ad<=19991116) and (download\$3 near		2003/08/20
- 40 (709/203.ccls. and @ad<=19991116) and (software near (updat\$3 install\$6)) and (configuration near file) - 1 (@ad<=1999116) and (download\$3 near network near (configuration near file)) - 12 (709/203.ccls. and @ad<=19991116) and (software near (updat\$3 install\$6)) and (billing near information) - 2 ("6,298,445").FN 2 ("6,298,445").FN 16925 create with network - 16925 create with network - 16925 create with network - 44 create with network with install - 2 ("6067582").FN 3709/224.ccls. and (install with server) - 10 709/224.ccls. and (install with server) - 10 709/224.ccls. and (install near server) - 10 709/224.ccls. and (install near server) - 10 709/224.ccls. and (install\$5 with server) - 10 709/224.ccls. and (install\$6] - 10 709/224		_	(configuration near file) and (billing	US-PGPUB;	17:12
1			near information))		
40				-	
(software near (updat93 install\$6)) and US-PGPUB; POP; JPO; JPO; JPO; JPO; JPO; JPO; JPO;		40	(700/003 ==1= ===	_	2002/00/20
Configuration near file EPO; JPO; DERWENT; IBM TDB CONJON/20 Configuration near file DERWENT; IBM TDB CONJON/20 Configuration near file DERWENT; IBM TDB CONJON/20 Conjone Con	-	40			I
Cad<=19991116 and (download\$3 near network near (configuration near file) USPAT;					1,.0,
1			(configuration near fire)		
				IBM_TDB	
12 (709/203.ccls. and @ad<=1999116) and (software near (updat\$3 install\$6)) and (billing near information) 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 17:25 2003/08/20 2003/08/2	-	1	(@ad<=19991116) and (download\$3 near		1
- 12 (709/203.ccls. and @ad<=19991116) and (software near (updat\$3 install\$6)) and (billing near information) - 2 ("6,298,445").PN. - 16925 create with network - 16925 create with network - 44 create with network with install - 2 ("6067582").PN. - 91 709/224.ccls. and (install with server) - 10 709/224.ccls. and (install near server) - 10 709/224.ccls. and (install near server) - 582 (install\$5 near server) and @ad<=19981113 - 582 (install\$5 near server) and @ad<=19981113 - 370 (install\$5 near server) and @ad<=19981113 - 370 (install\$5 near server) and @ad<=19971113 - 2004/04/14			network near (configuration near file))	•	17:13
12					1
12					
Software near (updat\$3 install\$6) and (billing near information) US-PCPUB; EPO, JPO; DERWENT; IRM TDB USPAT; US-PCPUB; EPO, JPO; DERWENT; IRM TDB USPA	_	12	(709/203.ccls. and @ad<=19991116) and	_	2003/08/20
Comparison Com		**		1	
TIM TDB	.			EPO; JPO;	
- 2 ("6,298,445").PN. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	1				
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J		_			2002/00/01
Process	-	2	("6,298,445").PN.		
- 16925 create with network USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	1				13:30
- 16925 create with network					
- 16925 create with network USPAT; US-PGPUB; PO; JPO; DERWENT; IBM TDB USPAT; O9:03 PEGUB; PO; JPO; DERWENT; IBM TDB USPAT; O9:03 PEGUB; PO; JPO; DERWENT; IBM TDB USPAT; O9:04 PEGUB; PO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; PO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; PO; JPO; JPO; DE					
Create with network with install	-	16925	create with network	_	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IDM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					08:59
- 44 create with network with install IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;					
- 44 create with network with install USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; USPGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J				1	
US-PGPUB; EPC; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC; JPO; JPO; USPAT; USPAT; USPAT; USPAT; USPAT; US	_	4.4	croate with network with install	_	2004/04/14
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT [IBM TDB USPĀT] US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT [IBM TDB USPĀT] US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT [IBM TDB USPĀT] US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT [IBM TDB USPĀT] US-PGPUB; EPO; J	-	44	Cleate with network with install	1	
-					
2				DERWENT;	
O9:44 O9:4				<u> </u>	
= 91 709/224.ccls. and (install with server)	-	2	("6067582").PN.	1	
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; DERWENT;					09:44
- 91 709/224.ccls. and (install with server)					
- 91 709/224.ccls. and (install with server) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; U					
10 709/224.ccls. and (install near server) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JP	-	91	709/224.ccls. and (install with server)	_	
- 10 709/224.ccls. and (install near server) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; and @ad<=19981113 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT					10:17
- 10 709/224.ccls. and (install near server) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; USPAT; USPAT; USPAT; USPAT; US				1 '	
- 10 709/224.ccls. and (install near server) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US		1			
- 107 709/224.ccls. and (install\$5 with server)	_	10	700/224 cole and (install near server)		2004/04/14
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPU	-	10	109/224.CCIS. and (install heat server)		1
- 107 709/224.ccls. and (install\$5 with server) and @ad<=19981113 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;				1	
- 107 709/224.ccls. and (install\$5 with server) and @ad<=19981113 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; USPĀT; US-PGPUB; EPO; JPO;				1	
and @ad<=19981113 -				_	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;	_	107		•	
- 582 (install\$5 near server) and @ad<=19981113 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO			and @ad<=19981113		10:25
- 582 (install\$5 near server) and @ad<=19981113 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	1				
- 582 (install\$5 near server) and @ad<=19981113 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;		1		1	1
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-P	-	582	(install\$5 near server) and @ad<=19981113	-	2004/04/14
- 370 (install\$5 near server) and @ad<=19971113 DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; 10:25					10:25
- 370 (install\$5 near server) and @ad<=19971113 IBM_TDB USPAT; US-PGPUB; EPO; JPO; 10:25					
- 370 (install\$5 near server) and @ad<=19971113 USPAT; US-PGPUB; EPO; JPO; 2004/04/14					
US-PGPUB; 10:25 EPO; JPO;		370	/installes near servery and Mad/=19071113		2004/04/14
EPO; JPO;	-	3/0	(Installed Hear Server) and Gadv-199/1113		
				1	
	1			DERWENT;	
IBM TDB				IBM TDB	

	338	(install\$5 adj	server)	and	@ad<=19981113	USPAT;	2004/04/14
						US-PGPUB;	10:26
1						EPO; JPO; DERWENT;	
						IBM TDB	